


3



GRIHA: Some key drivers to rethink design approach

Promoting sustainable consumption and production through reduction in material use (alternative materials ,reduce structural weight, alternate construction techniques, use of local materials, use of industrial waste such as flyash), promoting recycling and re use


Minimize demand, use efficient materials and systems, use of controls

Mandatory usage of renewable energy sources

Reduce embodied energy for construction














Need?

To ease the GRIHA process for clients: they will have an easy directory to look up and one component of documentation is removed.

To consolidate data on building materials


• To reduce documentation for GRIHA rating system








We	ebs	ration with GRIHA documentation site (files to be attached)		
15.2.1.		Fly ash use in RC: Minimum 15% replacement of ordinary Portland cement with fly ash b Provide supporting document from the manufacturer of the cement specifying the fly ash Catalogue website as an alternative to manufacturer brochure) in PPC used in reinforced		
Produ	ct Cata	Lookup Griha Product Catalog		
15.2.2.	2. For use of fly ash in building blocks of load bearing and non-load bearing wall : Minimur 100% load bearing and non-load bearing walls Provide supporting document from the ash content of the blocks used in infill wall system (mention Product code from the GRI manufacturer brochure)			
Produ	ct Cata	Lookup Griha Product Catalog		





The following products are being accepted under GRIHA product Catalogue at the moment

- Internal door and window frames
- Walling blocks/bricks
- Cement
- Composite wood products for internal application
- Concrete admixtures
- Controls
- External Glazing
- Flooring tiles
- Glass for internal applications
- Grass Pavers
- Gypsum for internal partitions/panelling/false ceiling
- Insulation

- Landscape irrigation systems
- Low-flow fixtures for water conservation
- Mineral fibre tiles for internal partitions/panelling/false ceiling
- Paints and Coatings interior as • well as exterior
- Stone for flooring
- **Products for internal** partitions/panelling/false ceiling/in-built furniture





	2 product(s)		
	Porotherm HP - 150	Porotherm HP - 200	
	Thermobrick	Thermobrick	
Wienerberger India Private	Criteria Applicable:	Criteria Applicable:	
Limited	GRIHA: 14, 15, 16, 29	GRIHA: 14, 15, 16, 29	
Enniced	SVAGRIHA: 5, 11	SVAGRIHA: 5, 11	
Bengaluru	Product Typology:	Product Typology:	
Contact Person	Walling blocks	Walling blocks	
Mr. Kundan B Dighe			
Address			
88/4 Richmond Road, Bangalore 560025			
Contact Number(s)	·	· · · · · · · · · · · · · · · · · · ·	
080 41491682 - 7 / 09008102272	www.wienerberger.in		
FAX			
080 40918441			
Email-ID(s)			
Kundan.Dighe@wienerberger.in /			

