

# GRIHA LD


GRIHA for Large Developments





# GRIHA for Large Development

V – 2015  
September 2015



All right reserved. No part of this publication may be reproduced in any form or by any means without prior written permission of The Energy and Resources Institute and GRIHA Council.

Cover page: Apoorv Vij & Richa Tandon  
All images are copyrights of Apoorv Vij

©The Energy and Resources Institute and GRIHA Council 2015

# Development Team

## **GRIHA Council**

- Ankit Bhalla
  - Project Officer
- Apoorv Vij – *Project Principal Investigator*
  - Programme Manager Technical
- Mili Majumdar
  - Secretary & Treasurer
- Mohini Singh
  - Project Officer

## **TERI-CRSBS**

- D.E.V.S. Kiran Kumar
  - Research Associate
- Deepak Tewari
  - Research Associate
- Hina Zia
  - Fellow
- Minni Sastry
  - Fellow
- Pradeep kumar
  - Associate Director

## **TERI-CRSUDTS**

- Akshima T. Ghate
  - Area Convenor & Fellow
- Divya Sharma
  - Fellow

## **TERI PRESS**

- Hemambika Varma
  - Editor

# Technical Advisory Committee

- Debashish Guha
  - Arcop Associates
- Smit Malhi
  - Arcop Associates
- Paritosh Tyagi
  - Former Chairman, Central Pollution Control Board
- Hrishikesh Kulkarni
  - Director, Vcke environmental
- Ashok B. Lall
  - Senior Architect, AB Lall Associates
- Gaurav Shorey
  - Psi Energy
- Manit Rastogi
  - Managing Partner, Morphogenesis
- Pradeep Sachdeva
  - Principal, PSDA
- Dr. Vinod Gupta
  - Partner, Space Design Consultants
- Prof. Geetam Tiwari
  - Dept. of Civil Engineering, IIT Delhi
- Swati Puchalapalli
  - Director, Terraviridis
- Florentine Visser
  - Consultant Sustainable Building & Policy Development, Egypt
- Al Kably
  - Urban Planner, Jordan/Toronto
- Himani Jain
  - Programme Officer, Transport, Shakti Sustainable Energy Foundation
- Neville Bhasin
  - Business Development, KROHNE Marshall Pvt. Ltd.

# Abbreviations

- ASHRAE American Society of Heating, Refrigerating, and Air-Conditioning Engineers
- BIS Bureau of Indian Standards
- CGWB Central Ground Water Board
- CPCB Central Pollution Control Board
- CPWD Central Public Works Department
- CRRI Central Road Research Institute
- IRC Indian Road Congress
- ECBC Energy Conservation Building Code
- EPI Energy Performance Index
- GHG Green House Gases
- GRIHA Green Rating for Integrated Habitat Assessment
- ISWM Integrated Solid Waste Management
- IPCC Intergovernmental Panel on Climate Change
- MNRE Ministry of New and Renewable Energy
- NBC National Building Code 2005
- TERI The Energy and Resources Institute
- SUDS Sustainable Urban Drainage Systems
- SCADA Supervisory control and data acquisition
- STP Sewage treatment system
- UDPI Urban Development Plans Formulation and Implementation

# Introduction

# Need

With increasing urbanization, economic growth, and the rising consumption pattern in India, there has been an increasing trend to consume more natural resources per capita. Higher incomes have given rise to greater demand for better standards of living, thereby adding to the already significant stress on the environment and various other natural resources. This results in an ever widening gap between demand and supply for electricity, potable water, and many other things. According to the 12th Five Year Plan, released by the Planning Commission of the Government of India, nearly 285 million people were living in urban agglomerations. This number increased to almost 380 million in the year 2011 and by 2030, almost 600 million people will be living in urban areas. Increasing population coupled with continued urbanization is likely to result in the emergence of about 60-70 cities with population of more than a million by 2030. In the past five years, the Central government has focused a lot on the development of SEZs, educational campuses, and new townships. Even the private construction sector has now begun developing large-scale projects that offer multiple product options as a part of a single package. So, for instance, a housing project may offer lifestyle facilities such as on campus club-houses, gymnasias, swimming pools, convenience stores, etc. There are an increasing numbers of such large developments coming up in the country. These comprise the following:

1. Large (mixed-use) townships:

- Housing complex by builders
- Housing complexes by urban development organizations
- Housing board and Public Sector Undertaking Townships

2. Smart City neighbourhoods

3. Educational, Medical and institutional campuses

4. Special economic zones

5. Hotels/ resorts

When a large project is planned and implemented, it comprises multiple buildings and other infrastructural facilities, on a single site. Environmental Performance Assessment for such projects should go beyond the environmental design of each building, and calls for assessment of larger environmental issues, and their effects that are brought out by the built environment. Emergence of these new large-scale developments/ townships/ neighbourhoods and the growth of the older ones are bringing in complex changes to ecology, natural resources and environment at local, regional, and global scales. It is high time we pay heed to our planning practices and guidelines that are followed to plan our cities and make them in such a way that they promote sustainable development with lesser impact on environment.

# GRIHA - LD

The GRIHA Council, in association with The Energy and Resources Institute (TERI) and the Ministry of New and Renewable Energy (MNRE), has launched the Green Rating for Integrated Habitat Assessment (GRIHA) and Simple Versatile Affordable GRIHA (SVA GRIHA), in order to address and promote green buildings in India. However, a need was felt to create a framework to assess the environmental performance of larger developments, the singular units which together make up cities – neighbourhood/townships – and with this focus; GRIHA Council along with TERI has developed a rating system for large developments titled – GRIHA LD (Large Developments). The intent of GRIHA LD is to provide a consolidated framework for assessment of environmental impacts of large scale developments.

## **Qualification for rating**

All projects with ***total site area greater than or equal to 50 hectares (125 acres)*** may apply for a GRIHA LD rating:

# Framework

All sites in their native state sustain various ecological cycles. Construction leads to disruption of various cycles as well as exerts demand for various resources like energy, water, etc. Such construction practices have a detrimental impact on their surroundings. GRIHA LD framework stresses on two aspects; first – reduction of detrimental impacts of the projects on the surroundings and secondly; attempt to achieve self-sufficiency in aspects like energy, water, etc. Therefore, a development with low impact on its surroundings will achieve a higher GRIHA LD rating.

In GRIHA LD, the development will be evaluated in six different sections as listed below:

- Carrying Capacity and Carbon Footprint (only indicative)
- Site Planning
- Energy
- Water and waste water
- Solid waste management
- Transport
- Social

The project is analysed through two types of appraisals: Self-Sufficiency and Development Quality. Self-sufficiency appraisals deal with total resources (energy, water and organic solid waste) required/treated by the project and focuses on quantitative analysis. Development Quality aspects deal with qualitative analysis based on several parameters. All sections have Development Quality based appraisals. The energy, water and solid waste management sections have Self-Sufficiency appraisals, in addition to Development Quality. The overall rating for the project will be awarded based on the overall assessment of all appraisals from all sections. The calculation of the rating has been elaborated in detail in the following sections.

Note: The current GRIHA LD rating framework has been developed based on the Green Guidelines and Benchmarks for Large Area Developments developed and released by TERI and MNRE in 2012. The Green Guidelines and Benchmarks for Large Area Developments may be downloaded from the GRIHA website: [www.grihaindia.org](http://www.grihaindia.org)

# Appraisals

## Self-Sufficiency Appraisals:

- The impact on demand for resources is analysed through Self-Sufficiency appraisals. The energy, water and solid waste management sections contain Net-Zero appraisals. In each section, a single resource parameter has been identified. This parameter is used to establish the scale of 0 to 100: 0 depicting conventional construction practices and 100 depicting a Self-sufficient project. The higher the score, the closer the project is to being Self-sufficient. For example, in its native state, a site requires no energy. However, post-construction, the development on it will exert a certain energy demand on the utility grid/diesel genset, thereby causing environmental damage. By making the site net-zero in energy through energy-efficient designs and installation of clean, renewable energy, the impact may be reduced considerably. Therefore, a score of 0 – in energy – reflects that buildings and site infrastructure are conventionally designed and receive energy from utility grid/diesel gensets. A score of 100 in energy reflects that the site generates all its annual energy requirement through on-site renewable energy. The resource parameters of each section are listed below:

Section	Resource parameter
Energy	Net kWh required from the utility grid/diesel gensets
Water and Waste Water	Total water required from the municipal supply/groundwater source
Solid Waste Management	Total organic waste treated on site

## Development Quality Appraisals:

- In addition to quantitative analysis of resources, quality of development is also important. Each section includes several qualitative parameters which enable qualitative assessment of the development. For example, implementation of Smart Mini-Grids, meeting water quality norms, transport planning, planning for low-income group populations etc. Are all qualitative parameters. Each section has several qualitative appraisals which total 100 points per section. The more qualitative appraisals a project attempts, the better the overall Development Quality score of the project. All sections have Development Quality appraisals.

# Overall Rating

- The overall rating is awarded out of a total of 100. The project will attempt appraisals in each sub-section and the respective scores will be used to calculate the rating based on the two tables given below:

Sub-sections	Overall Weights (A)	Maximum Sub-section Score (B)	Weighted Score (C) = (A) X (B)
<b><i>Self-Sufficiency Appraisals</i></b>			
Energy	0.18	100	18
Water	0.23	100	23
Organic solid waste treatment	0.12	100	12
<b><i>Development Quality</i></b>			
Site Planning	0.08	100	8
Energy	0.09	100	9
Water	0.12	100	12
Solid Waste Management	0.06	100	6
Transport	0.06	100	6
Social	0.06	100	6
<b><i>Total Score</i></b>	<b>1</b>		<b>100</b>

Total Score	GRIHA LD Rating
25 – 40	1 star
41 – 55	2 star
56 – 70	3 star
71 – 85	4 star
Above 85	5 star

# Process

## Masterplan Rating:

- The Masterplan Rating will include the following steps:
  - Registration of the project
  - Half day workshop for the project team
  - Access to online documentation tool
  - Receipt of completed documentation by GRIHA Council
  - Review of documentation by GRIHA Council and comments sent to Project team
  - Receipt of revised documentation by GRIHA Council
  - Documentation sent to External Evaluators by GRIHA Council
  - Comments of External Evaluators forwarded to Project team
  - Revised documentation from Project team shared with External Evaluators
  - Masterplan rating awarded by GRIHA Council based on points and feedback of External Evaluators

## Rating of Each Phase:

- The following steps will be followed for rating of each phase:
  - Registration of the project phase (First phase would be registered with Masterplan rating)
  - Half day workshop for the project team (Workshop of First phase and Masterplan Stage would be done together at Masterplan Rating stage)
  - Access to online documentation tool
  - GRIHA Council to conduct 3 site visits to the site during the course of the construction of the phase
  - Receipt of completed documentation by GRIHA Council
  - Review of documentation by GRIHA Council and comments sent to Project team
  - Receipt of revised documentation by GRIHA Council
  - Documentation sent to External Evaluators by GRIHA Council
  - Comments of External Evaluators forwarded to Project team
  - Revised documentation from Project team shared with External Evaluators
  - Masterplan rating awarded by GRIHA Council based on points and feedback of External Evaluators



**Carrying Capacity  
&  
Carbon footprint**

# Intent

Carrying capacity is defined as the ability of a natural and artificial system to absorb population growth or physical development without considerable degradation or damage<sup>(K.Oh et al,2005)</sup><sup>1</sup>. The intent is to analyze carrying capacity to assess the optimum population that the proposed development can hold using critical environmental parameters of “water availability” and “available green cover per capita”. Availability of water and green areas is extremely important to ensure quality of life, health, and environmental benefits for the population to reside. The objective of the carrying capacity assessment is to arrive at optimum population density for the site and/or optimum FAR. Once the optimum population is decided, it would be compared with the optimum FAR/ population density of the site and the variation shall be noted. The determining factors for assessment would be including:

- Water - Quantum of municipal supply, other sustainable sources of water available
- Green Cover - Total per capita green cover available/made available on site

Carbon footprint is defined as the total carbon dioxide equivalent (CO<sub>2</sub>e) emissions released from energy use within a development / city/ state/ country /sector. The intent is to analyze and thus reduce the energy use within the proposed development by involving green construction practices, adopting clean energy on site and reducing use of motorized vehicles on site. The objective is to analyze annual CO<sub>2</sub> emissions per capita of the proposed development. The determining factors for assessment would be including:

- Net annual CO<sub>2</sub> emissions from the buildings
- Net annual CO<sub>2</sub> emissions from transport

<sup>1</sup>2005. Kyushik, Oh. et al. “Determining Development Density using the Urban Carrying Capacity Assessment System”. Landscape and Urban Planning, 73 (2005) 1-15.

# Commitment

- It has been observed that most of the upcoming developments do not prepare in advance for the pressures that the proposed population is going to put on their surroundings, nor is the quantification of the available resources on and around site is done to envisage the site population. Availability of adequate amount of clean, potable water and green cover must be ensured before planning any development. Water scarcity is on the rise in urban centers in India and with the recharge rate significantly falling behind consumption rate, sources of readily accessible water are depleting fast. Many of the new developments in India rely on packaged drinking water as well as private water tankers to provide them with this most critical daily essential. It is therefore important, to strike the right balance between population on site and water availability. In this context, it becomes essential to conduct an analysis to understand the total water that is available from municipal and groundwater sources and the total demand being exerted on site by the proposed population. There must be enough water available on site to cater to the population being planned on it.
- Green areas are essential for our survival. Trees and shrubs not only help in reduction in global Greenhouse Gases, they are also necessary for clean air and water. Urban green areas also help in maintaining the balance between the physical and the psychological health of people while simultaneously improving social cohesion amongst the community. Therefore, it becomes important that every large scale development provides for optimal green cover for its residents. According to the World Health Organization, there must be at least 9 sq.m. green cover per capita in the development. Landscape design must be done in a manner such that sufficient amount of green areas are provided on site.
- Carbon footprint, in the context of GRIHA LD, is defined as the total CO<sub>2</sub> equivalent emissions released from energy use within a development. Given the rising concerns on global warming and climate change, it becomes necessary to promote low-carbon growth, in order to reduce CO<sub>2</sub> emissions due to the upcoming development. The per capita estimate for CO<sub>2</sub> emissions in India was about 1.18 tonnes/annum. The CO<sub>2</sub> emissions for the proposed development can be controlled / reduced by adopting clean energy on site, constructing green buildings and reducing the need to use motorized transport. It is recommended for the development as a whole to adopt low-carbon strategies which help in keeping the per capita CO<sub>2</sub> emissions under India's national average.

# Commitment


- In order to reduce the carbon emissions on account of vehicular movement, in a development, it becomes extremely important that the planning of the development is done in a manner to promote easy access to daily necessities through walking and cycling. A clean, safe and secure road environment should be created for pedestrians and cyclists. Planning of a site as mixed use development or as a single use development can have a different pattern of vehicular movement thus impacting the quantity of carbon emissions. When an upcoming large development is designed as a single use development, it increases the use of personal vehicles. For example, consider a residential-only development. In order to get to work, the residents will have to travel outside the site every day, thereby increasing the reliance on and use of private vehicles, whereas when a development is mixed-use, it reduces the need for people to travel and use personal vehicles by offering day to day necessities within the development. Additionally, mixed use developments provide more safety to residents than single use developments. The overall planning of an upcoming development hence will have an impact on the amount of travel and the CO<sub>2</sub> emissions generated on account of the same. Well-planned developments that promote walking and cycling and shorter motorized trips generate lower CO<sub>2</sub> emissions. CO<sub>2</sub> emissions expected on account of travel activities within the development will be estimated in this part. The base case in this section accounts for carbon emissions by development considering the residents will have to drive a car for all their daily needs.

# Compliance

- Submit environment clearance document and narrative estimating the total projected population of the development.
- Submit calculations detailing the total water requirement estimation for the site and approval document (with assurance on the supply of the required water quantity) from the local municipal authority highlighting the total water which will be supplied to the development.
- Provide drawings and narratives for the information provided in the Transport calculator.

***Please note: At Masterplan stage, all documentation will be declarations/intent documents. During rating of phase of construction, the documentation will be as per actuals executed on site.***

# Sections



**Site Planning**

# Intent

Sustainable site planning is the first step to ensure sustainability of any large development. Rapid urbanization pays insufficient attention to the conservation of the natural ecosystem and as a result ecologically valuable lands are getting converted into concrete jungles at a very fast rate. The intent of natural resource mapping is to protect and preserve the sensitive natural features existing on the site, and guide the entire development (residential, commercial, institutional, recreational, etc.) in such a way that it creates less impact on the environment.

Conventional site planning strategies do not pay sufficient heed to the existing natural features and surface drainage on site. Elimination of natural drains and water bodies and unification of highly impervious surfaces during site planning results in flash floods during monsoons. The site planning needs to be in tandem with the site natural topography. Site planning must ensure appropriate surface drainage channels and recharge areas to facilitate better storm water management along with overall low imperviousness of the proposed development. In addition, it also becomes extremely important to protect and maintain the tree cover on site and preserve the existing fertile top soil on site. All new trees being planted on the site should be native to the region in order to promote and sustain the local biodiversity.

# Commitment – Development Quality

- The selection of site for construction of the project is an important step in reducing the environmental impact associated with the project. Selection of site should ensure that the site is not located in an eco-sensitive zone like a forest or a flood zone etc. The project must confirm to local development plans/masterplan guidelines which reflect the planning for the region. Additionally, the project site should comply with the provisions of eco-sensitive zone regulations, coastal zone regulations, heritage areas (identified in the master plan or issued separately as specific guidelines), water body zones (in such zones, no construction is permitted in the water-spread and buffer belt of 30 meter minimum around the FTL), various hazard prone area regulations, and others if the site falls under any such area.
- Most of the cities and towns in India have serious floods during monsoons due to reasons like lack of infrastructure specific for storm water discharge, clogging of drains and water bodies due to pollutant loading specially during and after storm events, blockage of natural drains from improper waste management, lack of systems to recharge groundwater with runoff or to harvest rainwater, and unplanned urban development with relation to the drainage patterns. The site planning of the development needs to be in tandem with the site's natural features, so that post-development, there are no major obstructions in the drainage patterns. Designing the development in this manner drastically reduces flash floods and water logging during monsoons, besides maintaining natural water bodies for recharge.
- A range of techniques as a part of Sustainable Urban Drainage Systems (SUDS) are available to achieve this. They are a flexible series of options, which allow a designer to select those that best suit the circumstances of a particular site. It represents an integrated system of techniques aimed at storm water management and is the anti-thesis of the conventional drainage techniques followed for flushing storm water out of the site.

SUDS help storm water management in the following ways:

- They help in containing and managing run-off from the site, thereby reducing flooding
- They help in reducing the level of pollutants in the storm water
- They encourage groundwater recharge

Some examples of SUDS include: infiltration trenches, infiltration basins, filter drains, swales, retention ponds, wetlands, etc.

# Commitment – Development Quality

- In order to enhance the environmental quality, judicious site planning must be carried. Key topographical features like steep slopes, earth mounds, hillocks, etc., should be preserved and protected. Every site has several key natural features that must be retained during construction and incorporated in the final development plan. The development must conduct a natural resource mapping to identify the key natural features on site such as dense tree clusters, natural water bodies, surface drainage, etc. Construction in such areas should be avoided in order to enhance the environmental quality of the upcoming development. Natural water bodies and surface drainage channels should be retained in order to maintain natural water flow across the site. Alteration of these critical site features like drainage and retention channels has a tremendous impact on the downstream water cycles, water cycle of areas outside the site, as well as the disruption in groundwater recharge. Therefore, the site plan of the project must be developed in manner such that the key natural water bodies and surface drainage is preserved and any construction causing damage to them should be avoided.
- Vegetation / tree cover on site is an extremely important feature to be protected. Trees provide us with clean air; they help in sequestration of CO<sub>2</sub> emissions, in reducing soil erosion, and support various other flora and fauna. Therefore, the development should be planned in a manner such that mix-species tree clusters, which are either moderately-dense\* or very dense\*\*, on site are left undisturbed and protected during construction. Areas around dense tree clusters should be cordoned off during construction. Fertile top soil is essential for sustenance of any vegetation on site. In conventional construction practice, top soil is dug up along with sub-surface soil and thrown away. This wastes the fertile top soil which could be reused for the final landscaping. Soil fertility test must be done for the top soil of the site and if found to be fertile, top soil of the site must be preserved during construction to be reapplied later on the site proposed landscaped areas.
- In addition to maintaining existing vegetation on site, the tree cover on site should be increased. Tree plantation is one of the most important activities in maintaining environmental sustainability. In case some trees are falling in the building or service footprint and design cannot be altered, then those trees should be transplanted on the site itself. Care must be taken to increase the tree cover by at least 25 per cent, over the existing tree cover on site (in addition

\*Moderately dense forests are those with canopy density between 40-70% (Forest Survey of India (FSI) 2009).

\*\* Very Dense Forests are those with canopy density greater than 70% (FSI - 2009).

## Commitment – Development Quality

to the mandatory replantation – non-applicable in case of sites without any existing mature trees). The trees and shrubs being selected for plantation on site must be of the native species. The top soil which was stored should be reapplied on site for the new landscape areas.

- In addition to these, steps must be taken to reduce the environmental damage due to the construction process. A construction management plan must be prepared and implemented with distinct demarcation of various construction zones, construction materials storage yard, protected natural features and tree clusters, provision of soil erosion channels and sedimentation tank.

# Compliance – Development Quality

- Submit document highlighting that the project has necessary clearance for construction on site from the local authorities and that the project is in conformity with the local development plan/masterplan/UDPFI guidelines. (This should comply with the provisions of eco-sensitive zone regulations, coastal zone regulations, heritage areas (identified in the master plan or issued separately as specific guidelines), water body zones (in such zones, no construction is permitted in the water-spread and buffer belt of 30 meter minimum around the FTL), various hazard prone area regulations, and others if the site falls under any such area)
- Submit the proposed site plan demarcating the following:
  - Proposed Building footprints and other facilities
  - Total landscape area and/or other topographical features like water bodies etc.
  - Road network, footpaths, parking areas and other paved areas
- Provide a site survey plan and narrative demarcating the existing site features, including, but not limited to, the following:
  - Site contours with levels and key topographical features on site
  - Existing mature trees on site, especially dense mix-species tree clusters.
  - Existing built structure on site
  - Any contaminated area on site
  - Low-lying areas functioning as water recharge ponds and other natural drainages
  - Tree clusters, water bodies, drainage channels and other topographical features which are being preserved
- Submit a storm water management calculation demonstrating that the post-development peak run-off rate and quantity of last 2 year-24 hour peak and 5-year 24 hour peak does not exceed the pre-development peak run-off rate and quantity
- Submit site plan highlighting the various SUDS strategies incorporated in the storm water plan on site.
- Construction management plan (drawing and narrative) highlighting the following:
  - Staging of construction on site
  - Location of site offices, drinking water facilities and toilets for workers
  - Location of construction material storage yards
  - Areas from where top soil is taken and areas where top soil will be stacked and preserved
- Submit landscape drawing and narrative highlighting the following:
  - Existing trees on site which are being preserved and/or transplanted
  - Total number of trees before and after construction
  - New trees (along with their species names) being planted on site, demarcating the total tree canopy area commensurate with 5 year growth of the trees
  - Areas demarcated for reapplication of preserved top soil
  - Storage of top soil during construction and measures adopted to maintain its fertility

**Please note: At Masterplan stage, all documentation will be declarations/intent documents. During rating of phase of construction, the documentation will be as per actuals executed on site.**

# Appraisal – Development Quality

## Mandatory


- Clearance for construction/Compliance with Masterplan
  - The site plan must be in conformity with the development plan/master plan/UDPFI guidelines (mandatory). This should comply with the provisions of eco-sensitive zone regulations, coastal zone regulations, heritage areas (identified in the master plan or issued separately as specific guidelines), water body zones (in such zones, no construction is permitted in the water-spread and buffer belt of 30 meter minimum around the FTL), various hazard prone area regulations, and others if the site falls under any such area.
- Storm water management
  - Ensure that the storm water management plan on site is developed such that the post-development peak run-off rate and quantity from 2-year 24 hour design does not exceed the pre-development peak run-off rate and quantity.
- Tree cover on site
  - The total number of trees on site after construction should not be less than the total number that existed before construction.

## Optional

- Storm water management – 30 points
  - Ensure that the storm water management plan on site is developed such that the post-development peak run-off rate and quantity from 5-year 24 hour design does not exceed the pre-development peak run-off rate and quantity – 15 points
  - Ensure incorporation of appropriate SUDS for managing over 90% of the storm water quantity on site – 15 points
- Maintain existing site features – 30 points.
  - Ensure that more than 25% of the site area under existing natural features on site like water bodies, dense, mix-species tree clusters and contours with slopes greater than 1:4 are preserved – 10 points
  - Ensure that more than 50% of the site are under existing natural features on site like water bodies, dense, mix-species tree clusters and contours with slopes greater than 1:4 are preserved – 20 points
  - Ensure that more than 75% of the site area under existing natural features on site like water bodies, dense, mix-species tree clusters and contours with slopes greater than 1:4 are preserved – 30 points
- Manage construction activities in a manner to reduce environmental damage – 20 points
  - During construction, preserve and protect all the natural drainage channels on site – 10 points
  - Confine construction activities to pre-designated areas (staging) and implement a construction waste management plan on site – 10 points
- New plantation on site – 20 points.
  - Increase existing vegetation cover on site by 25% by ensuring plantation of native trees and shrubs – 10 points
  - Reapply top soil in more than 75% of the landscape areas – 10 points

***Non-applicability: If the top soil is not fertile and cannot be made fertile through addition of organic materials, then the second clause (related to top soil) is not applicable to the project.***





Energy

# Intent

Energy is one among the top essential requirements to sustain our cities and us today. The ever-widening gap between demand of electricity, from upcoming as well as existing developments, and supply, is leading to severe power shortages across all cities, towns and villages of India and the situation is only expected to grow worse, if corrective measures are not taken at the earliest. Besides insufficient access to electricity, coal-fired thermal power plants lead to emission of CO<sub>2</sub> and other Greenhouse Gases, which are a leading factor for global warming. A two-pronged approach is recommended to address both demand as well as supply of energy for the upcoming developments. On demand side, it is imperative to design and construct energy-efficient buildings, design energy-efficient street lighting as well as energy-efficient site infrastructure and on the supply side, it is critical to promote generation of electricity through clean, renewable energy technologies to reduce the overall demand of the development from the grid or captive generation plants that rely on conventional forms of energy. Sustainable urban design complemented by solar passive design and intelligent systems like smart mini-grid that is supported through energy supply from renewable energy sources optimizes overall energy consumption of the development while enhancing the human comfort.

## Commitment – Self-Sufficiency

- Urban centers of India are faced with severe energy shortage. Therefore, it becomes imperative to design and construct upcoming large developments in a manner such that they are energy-efficient and are minimally dependent on conventional forms of energy. Bridging the demand supply gap is the first objective in this effort followed by meeting the balance demand through renewable forms of energy such as solar, wind, etc. In order to be self-sufficient in energy, the total demand created by the development must be less than or equal to the total energy which the project can generate through renewable energy technologies. This section, therefore, evaluates energy self-sufficiency in two parts – demand and supply.
- The demand for energy in a large scale development comes from the buildings coming up on the site, outdoor lighting (street lighting, security lighting, etc.), water pumping and electrical transmission systems. Buildings must be designed to reduce energy consumption without compromising on the visual and thermal comfort of the building occupants. All upcoming buildings on the site should be designed according the EPI benchmarks of GRIHA while complying with visual and thermal comfort standards of NBC 2005/ASHRAE55. All buildings should comply with all mandatory clauses of ECBC 2007. All street lighting should be designed to adhere to minimum energy efficiency norms as described in Guidelines and Benchmarks for Large Area Developments, MNRE and TERI, as well as to meet the minimum illumination levels and uniformity coefficient for different street categories. Necessary steps should be taken on site to reduce wastage of energy required for water pumping through efficient design and use of energy-efficient pumping systems. Pumps which are used for circulating water in pumping system consume significant amount of energy and pump selection optimization reduces energy wastage in pumping system. All pumps should be selected in a manner such that they never operate at less than 70 to 80 per cent efficiency. All motors fitted with pumps should be 'eff1'. In addition to the above, the electrical system on site should be designed in a manner which reduces the losses in electrical infrastructure. The distribution transformers should comply with minimum acceptable efficiency at 50 per cent and 100 per cent load rating as recommended in ECBC for dry type and oil cooled transformers. In addition, other aspects like maintaining power factor between 0.95 lag and unity, check-metering and monitoring and designing power distribution system for losses as recommended by ECBC should also be complied with on site.

# Commitment – Self-Sufficiency

- The total energy required by the above mentioned systems on site will be the total energy demand on the project. In conventional scenario, this demand will be met through electricity supplied to the project by the utility grid and/or onsite diesel gensets. However, in a green large scale development, it becomes imperative to reduce the energy required from the utility grid and/or diesel gensets. In order to achieve this, the project should install renewable energy on site. The energy generated by the on-site/off-site renewable energy system will reduce the overall energy that the project would require from the utility grid and/or diesel gensets on site. Projects may install solar photovoltaic panels, small windmills, geothermal systems and/or biomass gasifiers (or any equivalent system which generates energy from biomass). The energy generated from the renewable sources will help in reducing the overall energy that the project will require from the utility grid/diesel gensets.
- In this section, Self-Sufficiency energy analysis is done for the project. For demand calculation (D), total annual energy (in kWh) required by the buildings, outdoor lighting and water pumping systems should be considered along with transmission losses. In the base case energy demand ( $D_{bc}$ ), total energy required by the development can be calculated according to base case GRIHA benchmarks for buildings and conventional system design. In the design case ( $D_{dc}$ ), demand for energy can be reduced by designing buildings which are more efficient than the GRIHA benchmark, selecting more efficient outdoor lighting, water pumping systems and electrical transmission systems.
- On the supply side (S), the project should install renewable energy systems on site or off-site to generate clean energy on site and reduce the energy demand from the utility grid and/or diesel gensets.
- The overall Self-Sufficiency calculation will be done as a percentage – the percentage of energy (in kWh) required by the project from the utility grid/diesel genset. The following formula will be used for the same:

$$\frac{D_{bc} - (D_{dc} - S)}{D_{bc}} \times 100$$

- If  $D_{bc} = D_{dc}$  and  $S=0$ , then the project is 0% self-sufficient. If  $D_{dc} - S = 0$ , then the project is 100% self-sufficient in annual energy consumption. Each development should attempt to be Self-Sufficient in demand of energy (kWh).

# GRIHA LD

## Base Cases for Energy

GRIHA LD Base Case Table		
Energy Performance Index (EPI) – (kWh/ m <sup>2</sup> /year)		
<b>Climate Classification</b>	Day time occupancy – 8 hours occupancy	24 hours Occupancy
	5 Days a week	7 Days a week
<b>Commercial/Institutional buildings</b>		
Moderate	120	350
Composite / Warm and humid / hot and dry	140	450
<b>Residential buildings</b>		
Composite / Warm and humid / hot and dry	100	
Moderate	85	

GRIHA LD Base Case for Street Lights				
S.No.	Classification	Road Type	Width of Carriageway (m)	Lighting Power per run(W/m)
1	A1	Dual/ Single Carriageway	14	14.5
2	A1	Dual/ Single Carriageway	17.5	17.5
3	A1	Dual/ Single Carriageway	21	21.5
4	A2	Single Carriageway	10.5	11.5
5	A2	Single Carriageway	7	10.5

## Commitment – Development Quality

- Good outdoor lighting design is extremely important in large scale developments. Artificial lighting simulations should be done to ensure that the outdoor lighting design is done in a manner such that all critical roads and walkways meet the recommended lux levels as recommend by the Indian Roads Congress. Simulations must also be carried out for all security lighting to ensure that they meet the necessary lux levels required for security lighting in areas like parks, community centers, and other public spaces. All outdoor lighting systems should be connected to automatic controls. Automatic controls can be either timer-based or photo-sensor based.
- Built environment has a significant impact on the outdoor ambient temperature. This at the city scale results in Urban Heat Island Effect (UHIE) is a widely observed phenomenon. Hard paved surfaces (like concrete paving, concrete buildings, etc.) absorb more heat than soft paved surfaces (like grass, shrubs, water bodies, etc.). As a result, in dense urban areas, the ambient outdoor temperature often rises up to 4-5 degree centigrade higher than the surrounding rural areas. The increased ambient temperature has a significant impact on outdoor thermal comfort. Dense urban clusters restrict the flow of wind. This leads to further trapping of heat inside the urban areas since low wind movement restricts removal of heat from the cities. Therefore, passive urban design strategies can be implemented to reduce the increase in outdoor air temperature. In order to help indicate the effect that the design would have on the ambient temperature, a Heat Island Calculator has been included in this section#. The calculator in the GRIHA LD calculates the effect of the urban geometry and green area on the ambient temperature. The analysis is to be carried out for 21st March. Various strategies to reduce the increase in outdoor air temperature may be adopted by the project; some of these are:
  - The total hard paved area on site should be reduced to as low as possible, preferably not more than 25 per cent of the overall site area. The lesser the hard paved area on site, the lower is the heat buildup at the development.
  - Constructing medium to low-rise buildings with wide spacing on site increases urban wind flow which allows for the built-up heat to be removed from the area.
  - Trees, shrubs, and green areas absorb incident solar radiation but do not radiate the same back to their surrounding environment. Therefore increasing green area and interspersing them within built up areas helps in mitigating the heat island effect. The calculator uses the Green Plot Ratio (GnPR) to analyze the effect of vegetation on ambient temperature.

# The source of formula used to develop the Heat Island Calculator is based on the following paper by Steve Kardinal Jusuf, National University of Singapore: <http://heatisland2009.lbl.gov/docs/221410-jusuf-doc.pdf>

## Commitment – Development Quality

- In this section, the ambient daytime outdoor temperature, for a location, on 21st March is to be considered. The rise in ambient air temperature will be different in the design case as compared to the base case. The higher the difference (reduction), the better the outdoor thermal comfort for the project occupants.
- Urban massing can be done in a manner which does not hinder urban wind movements. It must be ensured that no elements which retard wind flow are placed in the path of the local winds/seasonal winds. However, one must ensure that wind flow during unfavorable months of the year is minimized. For example, wind flow should be curtailed during summer months for a project located in Jodhpur or Delhi or similar climates.
- A Smart Mini-Grid (SMG) is an intelligent electricity distribution network, operating at or below 11KV, to provide electricity to a community. These Smart Mini-Grids use advance sensing, communication and control technologies to generate, manage, distribute, and utilize electricity at the local distribution levels more intelligently and effectively. A SMG will have a central controller which has all the intelligence and strategies inbuilt in it. The controller utilizes the state-of-the-art digital technologies, control and automation technologies, mobile and telecommunication and Information technologies to monitor manage and control the entire Smart Mini-Grid. It continuously monitors the energy consumption of each of the load center/building and the total energy consumption as well as the energy generated from different energy sources. Based on the energy demand and energy availability, the central controller automatically and dynamically balances the energy supply and varying energy efficient loads of the Smart Mini-Grids with prioritization given to renewable energy sources. So in this case, in every situation, the maximum utilization of renewable energy will always happen and whatever RE source is available will be utilized first and subsequently the gap between energy demand and supply can be met through other available energy sources. In case of an energy supply constraint situation, the central controller can promptly schedule or shift certain loads in order to manage the demand.
- It also promotes demand side management and control of defined loads as per the set criteria. For example the lux level of certain path lights, street lights can be varied either by a fixed time based approach or based on the available ambience light and movements of the commuters.
- Another feature in SMG is user interface with real time monitoring and control even from a remote location if the location has a good mobile network. This features can be provided even in mobile devices such as tablets and smart phones so that the user can control it easily and instantly.

# Commitment – Development Quality

- Operation and maintenance of electro-mechanical systems is extremely important in order to maintain optimum performance and efficiency. A comprehensive Operation and Maintenance (O & M) protocol should be established covering all electro-mechanical systems on site. The protocol should provide complete procedure and guidelines for the following:
  - Regular performance monitoring of the building systems.
  - Correct operation of equipment as per the guidelines specified by the manufacturers/suppliers.
  - Repair and upgradation of building systems as and when required, to ensure smooth functioning of equipment and processes.
  - Adjustment of the mechanical and electrical systems to function as per the varying occupant needs.
- In addition to the protocol, sufficient training should be provided to the maintenance personnel on site. Often, it is the lack of trained professionals which lead to inefficient performance of electro-mechanical systems on site/buildings. Through annual audits, the performance of these systems should be evaluated and the validity of the predicted performance may be determined. In case a system fails to perform as it should have; the audit process will identify the cause for deterioration in the performance and also provide recommendations regarding any need for upgradations or modifications in the systems.
- Another important aspect to ensure energy efficiency of the development is to constantly monitor energy usage from different sources and at different locations. Metering to monitor energy consumption enables the facility managers to assess the performance of various systems and helps identify any problems that require rectification. Measured data helps the project team is assess the success of implementation of the various energy conservation measures as well.

# Compliance – Self-Sufficiency

- Submit calculations elaborating on the energy consumption (EPI calculations) for the project highlighting the buildings level energy efficiency measures adopted in the project. Provide supporting drawings and simulation reports (sample visual & thermal comfort (for key buildings which are representative of at least 50% of total built-up area ) and energy efficiency analysis).
  - In Each Subsequent Stage: Supporting purchase orders/BOQ/tender documents along with installation photographs
- Submit calculations elaborating on the energy consumption (EPI calculations) for the project highlighting the site level energy efficiency measures adopted in the project. Provide supporting drawings and relevant calculations.
  - In Each Subsequent Stage: Supporting purchase orders/BOQ/tender documents along with installation photographs
- Submit calculations elaborating on the proposed renewable energy system to be installed on-site/off-site, including the proposed energy generation potential. Provide supporting drawings and simulation reports.
  - In Each Subsequent Stage: Supporting purchase orders/BOQ/tender documents along with installation photographs
- Submit proposed key building plans, elevations and sections – highlighting the energy efficiency and the Mandatory ECBC measures. Provide supporting documentation like BOQs/tenders.
  - In Each Subsequent Stage: Supporting purchase orders/BOQ/tender documents along with installation photographs

***Please note: At Masterplan stage, all documentation will be declarations/intent documents. During rating of phase of construction, the documentation will be as per actuals executed on site.***

# Compliance – Development Quality

- Submit lighting simulations demonstrating that the street/road lighting meets the required lux levels
- Submit layout of the Outdoor lighting system with the proposed details of automatic controls along with the proposed details of energy efficiency.
  - In Each Subsequent Stage: Supporting purchase orders/BOQ/tender documents along with installation photographs
- Provide drawings and narrative on energy metering and sub-metering on site as per following requirements:
  - Meter all sources of energy to the campus (local municipal grid, DG set, on-site renewable energy source)
  - Sub-meters for Individual metering for each building, outdoor lighting system and campus water pumping station
  - In Each Subsequent Stage: Supporting purchase orders/BOQ/tender documents along with installation photographs
- Submit drawings and narrative of proposed smart grid system and relevant Demand Side Management systems, highlighting the following:
  - Electrical drawing highlighting integration of renewable energy sources
  - Details of dynamic balancing of energy supply and various energy loads
  - Real-time remote monitoring and control of the smart mini grid
  - Demand side management and automatic controls for common loads like street lighting, water pumping etc.
  - In Each Subsequent Stage: Supporting purchase orders/BOQ/tender documents along with installation photographs
- Submit drawings (plans and sections) and narrative explaining the Heat island calculations for the project (Conduct analysis over at least 5 outdoor public spaces (top 5 by area)).
- Submit CFD analysis, supporting drawings and narrative elaborating on the design strategies adopted for minimum obstruction to local wind flows (except during summers – winters for cold climates)
- Document elaborating the proposed Operation and Maintenance Protocol, O & M team and annual audit process

***Please note: At Masterplan stage, all documentation will be declarations/intent documents. During rating of phase of construction, the documentation will be as per actuals executed on site.***

# Appraisal – Self-Sufficiency

## **Mandatory**

- Reduce the total amount of energy (kWh) required from the local Municipal grid/Diesel gensets by at least 25 per cent against the GRIHA LD base case.

## **Optional**

- Design the development to be self-sufficient in its annual energy requirement.

# Appraisal – Development Quality

## Mandatory

- Outdoor artificial lighting
  - Outdoor road lighting meets the required lux levels
  - Automatic switching/ dimming controls to be provided for all outdoor lightings
- Energy metering:
  - Meter all sources of energy to the campus (local municipal grid, DG set, on-site renewable energy source)
  - Sub-meters for Individual metering for each building, outdoor lighting system and campus water pumping station

## Optional

- Smart Mini Grids – 30 points.
  - Integration of various energy sources with prioritization to Renewable Energy Sources (RES) and dynamic balancing of energy supply and varying energy efficient loads of the Smart Mini-Grids – 10 points
  - Real time remote monitoring & control of smart mini-grid with user interface which operates even in mobile devices –10 points
  - Demand Side Management and automatic Control of loads used for common services (like street lights, water pumping etc.) based on pre-defined criteria - 10 points
- Passive urban design – 40 points.
  - Adopt passive design strategies and demonstrate (through Heat island calculator) that the outdoor temperature increase is at least 10/20/30 % below the GRIHA LD base case (analysis conducted over at least 5 outdoor public spaces (top 5 by area)) – 10/20/30 points
  - Street layouts and buildings have been designed to provide minimum obstruction to local wind flow (except for during unfavourable months for the region) – 10 points
- Operation and Maintenance – 30 points.
  - Dedicated operational staff for Operation and Maintenance of Electro-mechanical systems on site – 10 points
  - Operation and maintenance protocol to be established and implemented – 10 points
  - Periodic energy auditing (every year) to be carried out – 10 points

# Calculation Example for Energy Calculator (Self-Sufficiency Appraisal)

The sample project has 60 faculty residential blocks (G+2, building A), 18 hostel blocks (G+8, building B) and 6 administrative blocks (G+2, building C). The attached image is the plan of the project. The site is located in composite climate.



## **Building Energy consumption Calculation:**

The energy consumption shall be done for one of the building - "A" as marked in the figure 1. There are total of 60 buildings each of 3 floors (Ground + 2). Thus design case and base case energy consumption of building A is:

<b>Building A – Faculty Residence</b>	
<b>Typical (number of building on site identical to the building)</b>	60
<b>Diversity (for equipment use only)</b>	.8
<b>Total building built up area (all floors)</b>	849 sqm
<b>Design case EPI (based on simulations)</b>	55 kWh/sq.m./annum
<b>Base case EPI (from the GRIHA LD Base Case Table)</b>	100 kWh/sq.m./annum
<b>Equipment power density (considered here)</b>	0.011 kW/sq.m.
<b>Annual working hours (residential)</b>	8760 h
<b>Total energy consumption design case (Building A – 60 buildings)</b>	6728.56 MWh/ annum
<b>Total energy consumption base case (Building A – 60 buildings)</b>	9020.86 MWh/ annum

# Calculation Example for Energy Calculator (Self-Sufficiency Appraisal)

Similarly energy consumption for all the building type on campus is calculated. The total energy consumption for design case and base case for this sample project is:

<b>Total energy consumption by buildings for design case (= B1)</b>	16478.05 MWh/annum
<b>Total energy consumption by buildings for base case (= B2)</b>	24000.79 MWh/annum

## Street Light Energy consumption Calculation:

There are 2 different type of street in our project. The design case and base case street lighting energy consumption for all main streets – which is Street type A1- is calculated as below:

Street type – A1 – 14 m wide road	
<b>Total length (of this particular street) across the development</b>	3083m
<b>Design case total connected load</b>	30.2 kW
<b>GRIHA LD benchmark</b>	14.5 W/m
<b>Base case connected load (length x LD base case benchmark)</b>	44.7 kW
<b>Total annual operational hours</b>	4380
<b>Design case energy consumption</b>	132.28 MWh/annum
<b>Base case energy consumption</b>	195.79 MWh/ annum

Similarly energy consumption by different street on campus is calculated.

<b>Total energy consumption design case (= S1)</b>	194.47 MWh/ annum
<b>Total energy consumption base case (= S2)</b>	268.98 MWh/ annum

## Pumping & Miscellaneous Energy consumption Calculation:

<b>Miscellaneous &amp; pumping energy consumption detail (based on project specific analysis and assumptions)(=P)</b>	3455.6 MWh/ annum
---	-------------------

## Total Renewable Energy Generation on Site:

In our project, a 5 MW solar PV plant is to be installed. The total electricity to be generated from this is:

<b>Annual energy generated through RE system (generation assumption @1500 kWh/kW/annum) (= R)</b>	7500 MWh/annum
---	----------------

## Self-Sufficiency Energy impact calculation:

Therefore, total **Base Case Energy Consumption = BC =**

$$B2 + S2 + P = 27725.36 \text{ MWh/annum}$$

And total **Design Case Energy Consumption = DC =**

$$B1 + S1 + P = 20128.12 \text{ MWh/annum}$$

$$\text{Energy Self Sufficiency} = \frac{[BC - (DC - R)]}{BC} \times 100 = \frac{[27725.36 - (20128.12 - 7500)]}{27725.36} \times 100 = \frac{(15097.24)}{27725.36} \times 100 = 54.45\%$$

Therefore, project manages to reduce the total annual energy required from the local utility grid and diesel gensets by 54.45%.

# Calculation Example for Heat Island Calculator (Development Quality Appraisal)

## Definitions

The calculator analyses the effect of urban geometry and vegetation on the ambient air temperature. The calculator can analyze the effects over an area of 50 m radius. Therefore, it is required for the project to select three representative areas of the project (more than 3 locations are recommended) and analyze the increase in ambient air temperature as an average of the various cases.

The calculator will develop base cases for each design case and provide the incremental temperature. The average increment in ambient air temperature of the base cases will be considered by the tool as depicting 100% impact. Therefore, the base case for each location will be different and dependent upon the location.

Definitions of terms used in the calculator:

Average of ambient daytime hourly air temperature

It is average of hourly air temperature taken for the reference day in any typical season. This average must be for the sunshine hours (for example morning 6 am to evening 6 pm) and must be taken for 21st March. For example, ambient average daytime temperature for Delhi is 24.6°C, for Mumbai is 26.7°C, for Bengaluru is 27.3°C etc.

Daily (daytime) Average Solar Radiation (W/m<sup>2</sup>)

The daily average solar radiation for the location should also be for the day of 21st March.

Hard paved area (with in 50m radius) in %

This is the total percentage of hard paved area (buildings as well as paved area) in the study area.

Average Height to building floor Area Ratio

Average height to building area ratio represents the thermal mass in the environment and it refers to the ratio of average of heights of all buildings (in the study area) to the total of floor areas of all the buildings (in the study area).

Total Wall surface area (m<sup>2</sup>)

This is the total wall surface area of all the buildings which fall in the study area.

Green Plot Ratio (GnPR)

Green plot ratio (GnPR) refers to the green density in the area and is calculated by the following formula:

$GnPR = (Total\ Tree\ Leaf\ Area + Turf\ Area) / Area\ of\ Circle\ (site = 50\ m\ radius)$  ..... 1

Total Tree Leaf Area = No. of trees x Canopy Area x LAI ..... 2

The Leaf Area Index is a number ranging from 0 to 6. 0 depicts barren site, grass has LAI of 1 and 6 depicts extremely dense tree vegetation. On an average, most mature trees in India have a standalone LAI ranging from 3.5 to 5.5. The following are the representative LAI of some of the Indian trees:

# Calculation Example for Heat Island Calculator (Development Quality Appraisal)

## Definitions (contd.)

S.No.	Scientific Name	Common Name	LAI Value
1	Azadirachta indica	Neem tree	5.5
2	Mangifera indica	Mango tree	5
3	Saraca indica	Ashoka tree	4.5
4	Eucalyptus globulus	Eucalyptus tree	3.2
5	Delonix regia	Gulmohar tree	4
6	Ficus religiosa	Peepal tree	3.6
7	Plumeria	Champa tree	3
8	Bambuseae	Bamboo tree	5.7
9	Pterygota alata	Buddha Coconut tree	5.4
10	Mitragyna parvifolia	Kaim tree	3.5

### Sky view factor

Sky view factor is the extent of sky observed from a point as a proportion of the total possible sky hemisphere. Its value would vary between 0 and 1 based on the extent of sky visible at the point of observation, 1 being the sky is visible at the fullest extent and 0 being the least (Figure 1). Once we have the heights of the buildings and width of road sky view factor can be calculated using the simple formula given below.




Figure: Illustration of Sky-view factor




Figure: Calculation of sky-view factor

Formula for calculation of sky-view factor: Sky View Factor =  $\cos(\arctan((H_1 + H_2)/W))$

Sky view factors should be calculated for two directions which should be perpendicular to each other. The average of the two should be considered for the calculation.

# Calculation Example for Heat Island Calculator (Development Quality Appraisal)

In the same project, analysis will now be done for point X (marked in the plan) to estimate the impact on outdoor temperature due to surrounding built environment.



## Step 1- Identifying the areas to be studied using the tool

The project team must select outdoor areas – defined as those which people will occupy and use for day-to-day activities and gatherings. The 5 areas to be selected must be the top 5 outdoor areas by virtue of surface area.

## Step 2. Calculation of Hard paved area of the selected Zone

Area of non-green cover/ hard paved area needs to be calculated from the 2D master plan of the site and to be distributed in terms of percentage. In the point X, hard paved area is calculated as 70% of the total sub-site area.

## Step 3. Calculation of Average height to building area ratio

Average height to building area ratio of the building needs to be calculated from the architectural drawings. In non-green area of the point X, there are about 5 buildings each of 12 floors (Ground + eleven). The floor area of each building is about 284 sqm area. The average height of all the buildings is 42 m. Thus,

Area of each floor of the typical building	= 284 sqm	
Total Floor Area (of all 6 buildings)	= 284 X 5 x 12	= 17040 sqm
Average Heights of the Buildings	= 42 m	
Average height to building area ratio	= 42/17040	= 0.0025

# Calculation Example for Heat Island Calculator (Development Quality Appraisal)

## Step 4. Calculation of Total Wall surface area

Total wall surface of the building needs to be calculated again from the architectural drawings. For the present case the calculations area done as below

Wall Area of Each Building (Perimeter x building height)	= 3024 sqm
Total Wall Area (of all 5 Buildings)	= 15120 Sqm

## Step 4. Calculation of Total Wall surface area

The GnPR is calculated in two steps. The first step is to calculate the Total Tree Leaf Area. The formula for the same is given below:

Total Tree Leaf Area = No. of trees x Canopy Area x LAI

Total Number of Trees	6
Canopy radius (in m)	4
Canopy Area (in sqm)	50.26
LAI	5
Total Tree Leaf Area (in sqm)	1508

$GnPR = (Total\ Tree\ Leaf\ Area + Turf\ Area) / Area\ of\ Circle\ (site = 50\ m\ radius)$

Total Tree Leaf Area (in sqm)	1508
Turf Area (in sqm)	2340
Radius	50
Area of Circle (in sqm)	7854
GnPR	0.49

## Step 5. Calculation of Sky View Factor





Figure: Point of observation at the centre of identified zone

In the present case (as depicted in figure above), the sky view factor would be calculated as mentioned on the following page.

# Calculation Example for Heat Island Calculator (Development Quality Appraisal)

## Step 5. Calculation of Sky View Factor (contd.)



In one direction, the dimensions are  $H_1 = 42\text{m}$ ,  $H_2 = 42\text{m}$  and  $W = 24\text{m}$  in above figure  
 Sky View Factor =  $\cos(\arctan(2 \cdot 42/24)) = 0.27$

In the other (perpendicular) direction, the dimensions are  $H_1 = 42\text{m}$ ,  $H_2 = 42\text{m}$  and  $W = 28\text{m}$  in above figure  
 Sky View Factor =  $\cos(\arctan(2 \cdot 42/28)) = 0.32$

Average Sky view factor = 0.29

## Step 6: Design Case and Base Case incremental temperature:

The values calculated above are used in the tool to calculate the increase in ambient temperature. The analysis is done for the base case as well as design case. The base case analysis helps in providing the scale on which to measure the reduction in outdoor air temperature (for GRIHA LD purposes). The following assumptions are taken for the Base Case:

Variables	Base Case Assumptions
Ambient Temperature	Same as Design Case
Average Day-time radiations	Same as Design Case
Hard Paved %	100%
HBDG	Same as Design Case
Total Wall Surface Area	Same as Design Case
GnPR	0
Sky View Factor	0.5

# Calculation Example for Heat Island Calculator (Development Quality Appraisal)

## Step 6: Design Case and Base Case incremental temperature (contd.):

In our example, the calculator returned the following results:

Ambient Temperature	Final Temperature – Base Case	Final Temperature – Design Case	Increment in temperature – Base Case	Increment in temperature – Design Case
24.6	25.85	25.46	1.25	0.86

Therefore, the percentage reduction in increase in outdoor temperature is 31.2% [ $((1.25 - 0.86)/1.25) * 100$ ]

The same calculation is to be repeated for the remaining 4 outdoor locations and the overall change in outdoor air temperature calculated as an average.



**Water &  
Waste water**

# Intent

Potable water is a scarcer resource. With increasing population there is an ever increasing demand for potable water however the supply is deficit. Apart from the deficit supply of potable water the quality of water supplied is of much concern. It is of utmost importance to manage the available of supply of potable water by reducing the demand and reusing by treating the water. Additionally maintaining the quality of drinking water is equally important thus ensuring healthy and hygienic conditions for people. To ensure safe drinking water, both municipal groundwater and/or harvested rainwater have to be treated before use to varying levels depending on the water quality of the source and its end-use. Growing urbanization accelerates the situation of increasing water demands for domestic, industrial, commercial, and landscape purposes. As demand for water increases, water recycling will play a greater role in our overall water supply. By working together to overcome obstacles, water conservation along with water recycling and rainwater harvesting will help in conserving and sustainably managing our vital water resources. Water recycling is a sustainable approach and may prove to be a cost-effective solution in the long term.

# Commitment – Self-Sufficiency

- Every development needs to be able to cater to the demand for potable water for its residents. In conventional developments, the development gets the water from either the municipal supply or the groundwater or both. With the ever increasing population and improving lifestyles, the demand for water has risen dramatically in the recent past. Thus any new development adds additional pressure on the already strained water resources. Thus, it becomes important to design upcoming developments to be as water self-sufficient as possible. The development should be made to rely, as much as possible, on harvested rainwater as well as recycled waste water from STP. This will ensure that the total amount of water required from the municipal grid and/or groundwater sources is significantly lesser as compared to a conventional large-scale development.
- In this section, the project is evaluated on water self-sufficiency. For demand calculation (D), estimate the total water required for use in the buildings and landscape in one year. This is the annual water demand. On the supply side (S), the project may adopt any or both of the following strategies:
  - Capturing and storing rainwater on site for reuse.
  - Recycling STP water for reuse on site.
- The total annual water, which the development requires from the municipal supply grid and/or groundwater source, is  $D - S$ . In this section, if  $S = 0$ , then the impact is 100 per cent and if  $D=S$ , i.e., the project is completely self-sufficient in its annual water requirement. Each development should attempt to ensure that it has 0 per cent demand of water from the municipal supply/groundwater sources and is fully self-sufficient through strategies like demand reduction, rainwater harvesting, and waste water recycling and reuse.

# Commitment – Development Quality

- Quality of water is one of the most important factors concerning health across the globe. Assurance of safe drinking water to the residents of any given development becomes imperative. Access to clean, potable water ensures prevention of diseases and health of its residents. Water required on the site for various purposes must meet the quality norms established by BIS for a given use. For example, all water being used for domestic purposes like drinking, cooking, etc., must comply with IS – 14543. Similarly, all rainwater that is harvested must undergo necessary filtration to ensure that it meets the quality standards of BIS standards / international standards (EPA or European) for a given use like bathing, make-up water for air-conditioning, etc. This is especially important for the recycled water from STP which is being used on site, it must meet the BIS norms, or international standards for uses not covered by BIS, before being allowed to be used on site.
- With growing urbanization, there has been a steady rise in pollution of the rivers and various other water bodies, where the city discharges its sewage effluents, leading to extensive water pollution and damage of aquatic ecosystems. In order to mitigate the same, the centralized/decentralized STP on site must adhere to the CPCB disposal norms.
- Use of low-flow fixtures should be promoted on site. The developer should promote the use of low-flow fixtures in the future upcoming buildings of site. The use of low-flow fixtures dramatically reduces the amount of water needed during activities like bathing, flushing, washing, etc. This helps in reducing the demand for potable water. Ensure that flow rates of all WCs are at least 3/6 lpf or less, lavatory and kitchen faucets should have a flow rate of 6 lpm or less, urinals should have a flow rate of 3 lpf or less and showers should be at least 10 lpm or less.
- Water is required not just by residents of a development but also for maintaining the biological cycles of the existing ecosystem that were disrupted during construction. Maintaining the natural water cycle is a very important aspect of sustainability. One of the measures that should be taken in that direction is to ensure that there are enough recharge wells and trenches on site which help in recharging groundwater tables to maintain water levels. Each recharge well/trench must have necessary filtration system to ensure that contaminated water does not reach the groundwater table. groundwater table levels should be monitored before and after rainfall to ascertain rise in water levels.

## Commitment – Development Quality

- Water audit and monitoring are very critical aspects in water supply. Water audits should be undertaken at least once every year. Water audits on site help in identifying leakages in supply, illegal withdrawals, etc. Conducting a detailed audit helps in facilitating a better management of the water supply system with improved reliability. Systems like SCADA (Supervisory Control and Data Acquisition) can also be installed on it. Such systems help in easier extraction of data for future analysis and monitoring.
- Another important aspect to ensure water efficiency of the development is to constantly monitor water usage from different sources and at different locations. Metering to monitor water consumption enables the facility managers to assess the performance of various systems and helps identify any leakages/problems that require rectification. Measured data helps the project team to assess the success of implementation of the various water efficiency measures as well.
- Besides monitoring and audits, it is also extremely important to have an Operation and Maintenance (O & M) protocol established and at least one trained personnel on site who can perform the basic operations on the installed treatment system. Often due to lack of maintenance, STP systems stop performing after 2 - 3 years and become redundant. For effective functioning of the STP, it is essential to have an effective O & M plan in place. It helps in consistency in the performance of the treatment system, economizes the running cost of the system, ensures the recycling potential of the treated discharge and maintains the desired quality of the environment.

# Compliance – Self-Sufficiency

- Submit the proposed water balance table and calculations, along with supporting documents/drawings, for the entire development highlighting:
  - Total project water demand – building, landscape, utilities;
  - Total quantity of recycled STP water being reused; and
  - Total rainwater being reused and recharged
- Submit the site plan/plumbing layout along with narrative highlighting:
  - Main potable water storage facilities
  - Location of STP
  - Rainwater harvesting system and recharge wells – along with filtration system details

***Please note: At Masterplan stage, all documentation will be declarations/intent documents. During rating of phase of construction, the documentation will be as per actuals executed on site.***

# Compliance – Development Quality

- Submit test certificate for water from various sources (municipal supply, groundwater, rainwater as well as recycled grey-water) ensuring compliance with requisite BIS codes/ equivalent international standards for quality, based on reuse application.
  - If WTP is being installed on site, then: In Each Subsequent Stage: Supporting purchase orders/BOQ/tender documents along with installation photographs
- Provide drawings and narrative on water metering and sub-metering on site for the following requirements:
  - Provide water meters on following sources of water: main municipal supply, meter to measure treated water being reused on site and meter at outlet of rainwater storage reservoirs
  - Sub-metering on each building separately and the irrigation system
  - In Each Subsequent Stage: Supporting purchase orders/BOQ/tender documents along with installation photographs
- Submit design details (drawings and specifications) for the STP plant. Provide details describing its specifications and compliance to CPCB disposal norms. In case of decentralized STP, submit the documents for all STP, if different in technical details.
  - In Each Subsequent Stage: Supporting purchase orders/BOQ/tender documents along with installation photographs
- Submit a narrative elaborating on the use of low-flow fixtures in the project.
  - In Each Subsequent Stage: Supporting purchase orders/BOQ/tender documents along with installation photographs
- Submit a detailed document elaborating on the proposed SCADA system
  - In Each Subsequent Stage: Supporting purchase orders/BOQ/tender documents along with installation photographs
- Submit a narrative elaborating on the Operation and Maintenance Protocol, O & M team and annual audit reports.

***Please note: At Masterplan stage, all documentation will be declarations/intent documents. During rating of phase of construction, the documentation will be as per actuals executed on site.***

# Appraisal – Self-Sufficiency

## **Mandatory**

- Reduce the total amount of water required from the local Municipal grid/groundwater by at least 25 per cent.

## **Optional**

- Design the development to be self-sufficient in its annual water requirement.

# Appraisal – Development Quality

## Mandatory

- Quality of water
  - Ensure that quality of potable as well as non-potable water complies with relevant BIS standards/international standards (EPA or European)
  - Ensure that quality of captured rainwater for storage and recharge as well as recycled water for use, comply with the relevant BIS standards
- Water metering:
  - Provide water meters on following sources of water: main municipal supply, meter to measure treated water being reused on site and meter at outlet of rainwater storage reservoirs
  - Sub-metering on each building separately and the irrigation system

## Optional

- STP/waste water treatment facility should meet the CPCB norms – 20 points
- Rainwater falling on site (besides that which is being stored for reuse) is recharged through appropriate filtration measures – 20 points (not applicable if not permitted by the CGWB norms)
  - ***Non-applicability: If the CGWB does not allow for water to be recharged at the site, then the clause is not applicable to the project.***
- All fixtures on site (WCs, urinals, showers and kitchen and lavatory faucets) should be low-flow fixtures – 15 points
- Remote monitoring, Operation and Maintenance – 45 points
  - Establish a remote monitoring and control system for the entire plumbing network (systems like SCADA) – 20 points
  - Periodic water auditing (every year) to be carried out – 15 points
  - Establish an Operation and Maintenance Protocol for the various plumbing and water treatment systems (both centralized as well as decentralized) on site – 10 points

# Calculation Example for Water Calculator (Self-Sufficiency Appraisal)

The impact on municipal water supply/ ground water resource is based on two parameters the water demand on the campus and the water supply on site by treating waste water and through rain water harvesting. Consider the following example to calculate the net resource impact on municipal water supply/ ground water source. The sample large development has 60 faculty residential blocks (G+2, building A), 18 hostel blocks (G+8, building B) and 6 administrative blocks (G+2, building C). The attached image is the plan of the sample large development. The site is located in composite climate.



## **Building water consumption calculation:**

For the example, the faculty residences are considered. There are 60 such buildings on campus each G+12 high. There are 3 residential units on each floor with 5 people each (assumption). Hence occupancy per building is 45.

lpcd norms for residential building (medium end residential)	175 lpcd
Total annual working days	365 days
Water demand for 1 faculty block (Pax = 45)	2.87 ML/annum
Water demand for 60 faculty blocks (Building A)	172.46 ML/ annum

Similarly, building water requirement for all buildings in the project is calculated. The total building water consumption – for the entire project is – **326.89 ML/annum**.

## **Landscape and utilizes water consumption calculation:**

The total area under landscaping on campus is 389112sqm of which approximately 30% area is under lawns and rest under native shrubs and native trees. Using the calculator, the total landscape water demand comes to be 458.12 ML/annum. The total water requirement for various utilities is 81 ML/annum.

$$\begin{aligned}\text{Total annual water demand} &= D = (326.89 + 458.12 + 81) \text{ ML/annum} \\ &= 866.01 \text{ ML/annum}\end{aligned}$$

# Calculation Example for Water Calculator (Self-Sufficiency Appraisal)

## Waste-water recycle and rainwater harvesting calculation:

In our project, the total waste water being reused from the STP plant and total rainwater being captured and used is as follows:

Annual rain water captured and reused on site (R1)	47.8 ML/annum
Annual treated waste water being reused on site (R2)	360 ML/annum
<b>Total annual water recycled and reused (including rainwater)</b>	<b>407.86 ML/annum</b>

## Self-Sufficiency Water impact calculation:

Total Water demand (D)	866.01 ML/annum
Total annual water recycled and reused (including rainwater) (S)	407.86 ML/annum
Water required from Municipal water supply/ground water source	458.16 ML/annum
Net water required from municipal water supply/ ground water (%)	52.91 %

Therefore, the project manages to reduce net water required from municipal and groundwater sources by 47.09 %.





# Solid Waste Management

# Intent

The prime objective here is to close the solid waste cycle loop and to follow a more systematic, integrated approach to solid waste management. Solid Waste Management covers all activities pertaining to the control, transfer, transport, processing, and disposal of solid waste in accordance with best principles and practices of public health, economics, engineering, conservation, and aesthetics. The best method to deal with waste is centered on a broadly accepted —hierarchy of waste management – which gives a priority listing of the technical and sociological options of waste management. The highest and most preferred rank of this integrated management hierarchy is waste prevention or waste minimization at source, which aims at reducing the amount of the waste produced. It is the most effective way to reduce the quantity of disposable waste, the cost associated with its handling and its adverse environmental impacts. Reuse, recycling, and energy recovery technologies then come as moderately suitable technologies. Land-filling is the last option of the hierarchy that involves controlled interment of the residual waste which has no further use on or in the earth's mantle. Industrial wastes like fly ash, blast furnace slag, stone dust etc. should be used for construction purposes thereby diverting them away from landfills.

## Commitment – Self-Sufficiency

Almost 50 per cent of the total solid waste generated in our cities today is organic waste. In common scenarios, this organic waste ends up in the landfill. Organic waste, being biodegradable, does not have the same dangers associated with disposal of other solid wastes like plastics, e-waste or hospital waste. However, organic waste can easily be converted into a resource, like biogas or manure, through appropriate treatment process. It is important to treat as much waste on site as possible in order to reduce the size of our ever growing landfills. In this light, it is recommended for the project to create a phase-wise strategy to treat 100 per cent of organic waste on site through appropriate strategies. In this section, if all organic waste is treated on site, then the project will be considered to be 100% self-sufficient in treatment on organic waste on site. Projects should strive to recycle and reuse all organic waste being generated on site.

# Commitment – Development Quality

- For solid waste to be managed and treated, it is extremely critical to provide the future occupants of the campus with good infrastructure for solid waste management. An Integrated Solid Waste Management (ISWM) plan should be prepared for implementation on site. An ISWM plan elaborates on the following strategies:

- Primary and secondary collection of segregated solid waste
- Hygienic transport / transfer of collected solid waste for treatment / disposal.
- Treatment of waste – recycling / down-cycling and / or disposal of waste.

An ISWM should be prepared for all different kinds of waste on site:

- Organic waste, hospital/medical waste, e-waste and;
- Other recyclable solid wastes like metal, paper, etc.
- There should be provision of multi-coloured bins, in public spaces like parks, community centers, etc., at the site level. Additionally, at a campus level, it is important to create a centralized storage facility, for storing different kinds of waste in segregated compartments and in a hygienic manner. Based on the collection frequency, once the waste is segregated and stored in a centralized location, it can then be either sent for treatment (in case of e-waste/medical waste) or sent for being recycled (in case of plastics, paper, metals, etc.).
- The capacities of various bins, storage areas, etc., should be enough to hold a minimum of two days of garbage or more depending on the frequency of waste collection.
- In case the development site is outside the municipal boundary limits and there is no provision for secondary collection / disposal of waste, then the selected temporary site for waste disposal should be made on the principles of engineered landfill.
- Besides the organic and inert-inorganic waste being generated on site, two types of hazardous waste might also be generated on site – e-waste and medical waste. Both these types of waste are extremely toxic in nature and their handling and disposal should be carried out in an extremely careful manner.
- E-waste collected from site should be sent to e-waste recyclers for recycling.
- Hospital and other medical wastes should be incinerated on site in accordance with the Management and Handling Rules – 1998. It must be ensured that untreated medical waste does not stay on site for more than 48 hours.

## Commitment – Development Quality

- In addition to reducing and treating waste on site, it is also important to substitute raw materials in construction with wastes from other sources, in order to reduce the pressure on mining for virgin materials as well as landfills required for their disposal. The BIS and CRR I provide codes which establish guidelines on the use of industrial waste in construction of building structures, pavements and roads. CRR I/IRC recommend that about 10% of material used in road construction can be waste like plastic etc. Waste materials like fly ash etc. can also be used in construction of footpaths/pavements as well as substitute for OPC (Ordinary Portland Cement) in building superstructures.
- Beside managing waste during occupation, it is also important to manage and recycle construction waste. It is estimated that almost 10-20 per cent of total municipal waste is construction and demolition waste. Therefore, for each development phase, a construction waste management strategy must be prepared and provided to the executing engineers on site. Inert and hazardous waste must be collected and stored separately from site. In addition to segregating inert and hazardous waste, it is also important to either reuse the construction waste on site or safely dispose it off to designated agencies for recycling. All these steps are important to ensure that construction waste is diverted away from the ever-growing landfills.

# Compliance – Self-Sufficiency

- Submit narrative providing total estimated quantity of organic waste which will be generated on site during operation, along with sizing and details of the treatment plant.
  - In Each Subsequent Stage: Supporting purchase orders/BOQ/tender documents along with installation photographs

***Please note: At Masterplan stage, all documentation will be declarations/intent documents. During rating of phase of construction, the documentation will be as per actuals executed on site.***

# Compliance – Development Quality

- Submit narrative and details of incineration process for treatment of hospital/medical waste & of e-waste recycling strategy for the project – whichever is applicable.
- Submit the ISWM plan for the development – detailing the various processes (primary collection, secondary collection, transport / transfer of waste, disposal and treatment).
- Submit documents highlighting contractual tie-up with various recyclers – who will procure and recycle the inorganic recyclable wastes like paper, metal, plastics, etc., from the site (during operations) – along with narrative on the recycling strategies being adopted by them to ensure that their recycling processes are hygienic, if possible, adhering to CPCB norms.
- Submit the construction waste management plan and narrative for the project, highlighting the following:
  - Space provision for on-site segregated storage of inert and hazardous construction waste
  - Proposed location of segregated storage (primary and secondary collection) for waste generated by the construction workers on site.
  - Proposed recycling/reusing and/or disposal strategies for construction waste.
- Submit technical specifications/brochures along with tender documents to demonstrate that the roads have at least 5%/10% waste content as per the clause.
- Submit technical specifications/brochures along with tender documents to demonstrate that the pavement construction have at least 5% waste content as per the clause.
- Submit technical specifications/brochures along with tender documents to highlight that all cement being used in the construction of building structures is PPC

OR

- Submit purchase orders/tender documents/photographs to highlight use of fly ash (or any BIS recommended waste) for building structures (at least 15% by weight of OPC) – if being purchased and mixed on site

**Please note: At Masterplan stage, all documentation will be declarations/intent documents. During rating of phase of construction, the documentation will be as per actuals executed on site.**

# Appraisal – Self-Sufficiency

## Optional

- Treat all organic waste being generated on site.

# Appraisal – Development Quality

## Mandatory

- Handling and treatment of special waste
  - On-site incinerators to be provided for treatment of medical / hospital waste or provision for the same to be sent to a treatment facility (if Applicable)
  - Provide contractual tie-up with e-waste recyclers for purchase and safe recycling of e-waste from site

## Optional

- Segregation and storage of waste on site (during operation) – 35 points.
  - Provision for hygienic secondary storage facility for organic and recyclable inorganic waste collected at site – 20 points
  - Provide contractual tie-up with recyclers for purchase and safe recycling of inorganic recyclable wastes like metal, plastic, paper etc., from site – 15 points
- Construction and demolition waste management – 30 points.
  - Develop a construction waste management plan, for safe handling, storage and recycling of construction waste, to be provided to the site engineers and implemented on site – 10 points
  - Provision of storage areas for segregated storage of inert and hazardous waste during construction – 20 points
- Use of sustainable construction materials – 35 points
  - Use at least 5% / 10% recycled waste (as per CRRI/IRC recommendations) in road construction by volume of materials for 100% of the roads on site – 7/15 points
  - Use at least 5% recycled waste in construction of pavements by volume of materials for 100% of all material used in the pavements on site – 10 points
  - All cement to be used in the construction of building structures will be PPC (at least 15% mix – or on-site mix) – 10 points



**Transport**

# Intent

As per IPCC, nearly 30 per cent of the global GHG emissions are contributed by the transport sector. The transport sector in India is no different. It contributes about 10 per cent of the energy related GHG emissions in the country. The transport sector in India is transforming as rapidly as the real estate sector. It is estimated that more than a 1,000 cars are added to Delhi's roads every day which translates to almost 3.5 lakh new cars per year. Other cities and towns of India are also facing a similar growth rate in personal motor vehicles; a trend that is leading to problems related to congestion, air polluting and road accidents. The share of walking, cycling, and public transport modes have been, however, declining gradually. It is imperative to shift /retain people to these clean modes of transport and discourage them from using private vehicles as far as possible. The way we plan our developments can help in achieving this motive. The circulation network that we plan in large developments should promote walking and cycling for trips within the development. Collective transport services should be provided to meet mobility demand within the development and provide connectivity to the nearest public transit stops. Innovative design and pricing measures should be employed to promote sustainable mobility modes and create an enabling environment for safe as well as secure mobility for all.

# Commitment – Development Quality

While planning a development, it becomes important to design the streets in a manner that the traffic speed in the residential areas are kept low; this enhances the safety of pedestrians and cyclists. The overall speed of motorized traffic, in residential areas should be kept, less than 30 km/h. Several strategies like cul-de sacs, loops, etc., can be incorporated in the street network design. Many of these strategies make more optimized use of land while also making streets safer for pedestrians and cyclists. Additionally, the streets should not be more than 25 meters wide, since a human being cannot cross a wider road in under 30 seconds. Another important aspect is to incorporate measures, which help in reducing the overall speed of motorized traffic. This can be done through encouraging physical features like speed bumps, raised crosswalks, curb extensions, etc.

- Walking can serve all short trips (1-2 km) that people have to make and cycling can take people even further. However, whether people choose to use these modes totally depends on the quality and continuity of footpaths and cycling tracks and the support infrastructure provided to the pedestrians and cyclists. It becomes extremely important that all roads in a development should have footpath. All roads with heavy motorized traffic should have a cycling track on at least one side of the road. The minimum width of a footpath should be 1.5m and that of a cycling track should be 3m. In addition to the provision of cycling tracks and footpaths, it is also important to provide the same through open areas and greens in order to improve connectivity and access to different services across the development. This helps in reducing the distance a person has to walk and therefore, encourages walking and cycling.
- Another important aspect is to design the footpaths to be universally accessible and continuous. Footpaths and intersections should be designed for safe crossing for the elderly and children and should be universally accessible. Railings along footpaths, non-slippery surfaces, etc., are some of the strategies which should be adopted.
- Footpaths and cycling tracks are successful only when supporting infrastructure like bicycle parking, good landscaping design for shading, changing rooms, benches for rest, charging points for electric bikes, etc., are provided alongside the cycling tracks and footpaths.

## Commitment – Development Quality

- Another important aspect of street design is to incorporate measures in the design which promote safety at the interface between pedestrians, cyclists, and motorized transport.
- A very important aspect is provision of street lights and signage. Ample street lighting is essential for maintaining visibility as well as safety.
- In order to control the growth of private vehicles in the development, it becomes important that steps are taken to ensure that people are discouraged from owning multiple vehicles. This can be ensured by limiting the parking area to only meet the minimum local bye-law/NBC 2005/Environmental Clearance requirements (whichever is applicable) and not providing extra vehicular parking space.
- In addition to limiting parking, it is also important to provide dedicated Disabled car parking spots. This ensures ease of access to the various buildings within the development. The Central Public Works Department (CPWD), Government of India, has provided guidelines on the number of car parking spots, which should be dedicated to Disabled car parking spots in relation to overall parking area. The same should be followed by project teams.

Total No. of car parking space in Lot	Required No. of Disabled car parking spaces
1 – 50	1
51 – 150	2
151 – 250	3
251 – 350	4
351 – 450	5
Above 450	6

- Mass transport systems should be developed inside the development, to complement the transportation system of the city. This will enable residents to use the collective transport services like small electric buses, golf cars, etc., for travel within the development reducing their dependency on private vehicles. In addition collective transport services can also be linked to the nearest public transport stops, so that residents are encouraged to use city public transport services.
- The developments should also target the use of clean energy vehicles like electric cars and bikes. For this, the developers can work on providing the necessary electric charging infrastructure for electric vehicles across the site.

# Compliance – Development Quality

- Submit site plan and sections along with narrative, highlighting the following:
  - provision of bicycling tracks and footpaths
  - steps to ensure safety of pedestrians and non-motorized transport users
  - location of various services like grocery stores, parks, ATMs etc.
  - various entry/exit points of the site demarcated
  - residential, commercial and institutional zones highlighted
- Submit the site plan and narratives highlighting the following:
  - the road network planning, road hierarchies and speed control measures.
  - total area being provided under parking does not exceed the requirements of the local bye laws/NBC 2005/ Environmental Clearance (whichever is applicable).
  - location of electric vehicle charging infrastructure
  - the dedicated Disabled parking as per the GRIHA LD threshold.
- Submit the site plan and narratives highlighting the collective transport system

***Please note: At Masterplan stage, all documentation will be declarations/intent documents. During rating of phase of construction, the documentation will be as per actuals executed on site.***

# Appraisal – Development Quality

## Mandatory

- Provision of footpaths and bicycling tracks and for safe interaction of NMT traffic with motorized traffic
  - All roads (except access roads) should have footpaths/sidewalks and cycle tracks
  - Footpaths, sidewalks and cycle tracks should be continuous, wide and universally accessible

## Optional

- Provision of footpaths and bicycling tracks and for safe interaction of NMT traffic with motorized traffic – 30 points
  - Supporting infrastructure and facilities like bicycle parking, landscaping, public conveniences, etc., should be provided on site – 15 points
  - Necessary physical safety measures like railings, non-slippery surfaces, etc., must be taken on site – 15 points
- Road network planning – 20 points.
  - Street network planning to be done in a manner to promote safety and efficiency.
  - Measures to control speed of vehicular traffic should be implemented on site.
- Parking for cars and two wheelers – 20 points.
  - Total parking should not exceed the parking requirements as recommended by the local bye-laws/NBC 2005/Environmental Clearance (whichever is applicable) – 10 points
  - Dedicated Disabled parking space to be provided, as prescribed by CPWD guidelines – 10 points
- Collective transport services – 15 points.
  - Running collective transport services (route, stops, frequency, and capacity) for intra-site movement – 7 points
  - Providing connectivity to the nearest city public transport nodes – 8 points
- Electric charging infrastructure for vehicles – 15 points.
  - Electric charging infrastructure provided for at least 10% of cars and bikes parked on site – 15 points



ALT  
R1

**Social**

# Intent

Equity and social well-being are pre-requisites for a harmonious society where people of all classes can co-exist besides helping each other in their various functions. Co-existence and equitable access to resources and opportunities, across all socio-economic classes of society, serve as the backbone of any inclusive development. Our conventional approach to urban development has ignored inclusiveness and has resulted in inequitable growth models (spatial and socio-economic). It is important therefore that future developments imbibe the principles of equity and inclusiveness to provide equal growth opportunities and resource access to all. With this intent, this section gives equal importance to elements like comfort and health as well as access to infrastructure like schools and health centers to all people connected to the development - those constructing it as well as its final residents. The aim is to create social infrastructure, which helps in forming a strong community.

## Commitment – Development Quality

- It is important to ensure that the construction workers who are building the development do not live in squalor. It is also important that they do not get injured during construction. Therefore, during the course of construction, it must be ensured that all the safety facilities and provisions listed in the National Building Code (NBC) 2005 should be implemented on site. The construction workers should wear helmets, safety boots as well as high-visibility jackets. Safety nets, safety harnesses, etc., should also be provided to the workers.
- Ensuring good health of construction workers is important – both from the perspective of promoting social sustainability as well as to ensure the timely progress of construction. All construction workers on site must have access to clean drinking water as well as clean and hygienic toilets.
- The construction workers should also be provided with clean and hygienic living conditions. The accommodation facilities for the construction workers should be daylit, ventilated and hygienic. The accommodation area should have provision of clean drinking water, clean toilets, and bathing facility. Special care should be taken while designing the toilets and bathrooms for women.
- Child labour is an illegal practice under the Indian law. Child labour must be banned on site and steps should be taken to ensure the same.
- The entire development, for post-construction stage, should be designed according to NBC 2005 guidelines on universal accessibility. There should be provision of railings and non-slippery surfaces on all footpaths. There should also be provision for disable-friendly public toilets.
- Increasing environmental awareness amongst the residents of the development is an important step towards ensuring that the future occupants of the development continue to adopt a low-carbon lifestyle. Environmental awareness within the development can be increased through installation of information panels, digital displays, etc., with facts and tips about the environment and habitats.
- The public areas of the development should be declared as non-smoking zones, in keeping with the regulation passed by the Government of India.

# Commitment – Development Quality

- The service staff – security guards, maids, garbage collectors, etc. – is an extremely critical part of our daily lives, but very little facilities are provided to them in our developments. There should be provision of dedicated toilet facilities for the service staff in the project as per the thresholds mentioned below:

Fixtures	Male	Female
<b>WCs</b>	1 per 25	1 per 15
<b>Washbasins</b>	1 per 25	1 per 25
<b>Urinals</b>	Nil up to 6 1 for 7 – 20 2 for 21 – 45 3 for 46 – 70 4 for 71 – 100 Add 3% over 101 – 200 Add 2.5% over 200	

- Each toilet block must have an adjoining, covered resting area.
- The site must have at least two toilet-cum-resting blocks which must be spaced between 1-2 kms apart (For project sites which are smaller than 1 km in length, the facilities must be suitably distanced).
- In most of the upcoming developments, the target audience is people from the middle or higher income groups. In such scenarios, the needs and housing requirements of the economically weaker sections (EWS) of the society are usually disregarded. New developments create jobs for economically weaker sections of the society. Thus they move into such developments for economic opportunities but lack of housing facilities result in a lot of people living in informal slum settlements closer to such developments. The development must be planned in such a manner as to create adequate provision of EWS housing on site itself.
- Besides EWS housing, it is also important to create low-cost health care centres and educational facilities for lower income groups. An alternative to the same can be a mandatory, low-cost reservation in the healthcare facilities as well as educational institutes within the development.
- A significant portion of our daily needs for goods is available in informal markets and not formal shopping centres. Provision of areas reserved for informal markets is important in enabling livelihood security for lower income groups as well as for improving accessibility

## Commitment – Development Quality

- of essential daily needs like fruits and vegetables, etc., to the residents. In case a dedicated space is not provided for such activities, there will be possible future encroachments to cater to these demands. Therefore, in order to avoid such occurrence in the future, it becomes important to plan for such spaces in advance.
- Food security has been a major concern in India. With the cities encroaching upon the surrounding agricultural lands, the area under farmland is reducing. However, the demand for food grains is increasing due to the rapidly increasing population. Therefore, it becomes important to ensure that part of the food requirements are met within the development itself. Urban agriculture, vertical farms etc. are the need of the hour.

# Compliance – Development Quality

## Design Stage & Each Subsequent Phase

- Submit contract documents and narratives detailing the strategy for the following:
  - safety provisions for construction workers
  - provisions for clean toilets and drinking water on site
  - provision of clean and hygienic labour huts
  - ban on child labour on site.
- Submit narratives and relevant drawings detailing the strategies for the following:
  - implementation of ban on smoking in public areas on site
  - provision of dedicated facilities for service staff
  - increasing environmental awareness
  - provision of disabled-friendly facilities
- Submit relevant plans, along with narrative, highlighting the following:
  - EWS housing
  - Space for informal markets
  - Health centers and schools – reserved for lower income group
- Submit landscape plan with area under urban farming demarcated, along with the type of fruits and/or vegetables and/or food-grains etc. which are being planned to be grown.

***Please note: At Masterplan stage, all documentation will be declarations/intent documents. During rating of phase of construction, the documentation will be as per actuals executed on site.***

# Appraisal – Development Quality

## Mandatory

- Facilities for construction workers
  - All safety norms of NBC 2005 must be implemented on site during construction
  - All construction workers must have access to clean drinking water and hygienic toilets on site
  - Accommodation facilities for the construction workers must be clean, hygienic, with access to clean drinking water and toilets
  - Child labour should be banned on site

## Optional

- Social infrastructure in development – 55 points.
    - Design of the development should be done according to guidelines on universal accessibility, including provision of disable-friendly public toilets – 15 points
    - Create environmental awareness through imparting information like display boards, panels etc. – 10 points
    - Identify smoke/tobacco free zones on site – 15 points
    - Provision of dedicated resting areas and toilets for service staff as per the GRIHA LD thresholds– 15 points
  - Planning for low-income group population – 25 points
    - EWS housing should be provided on site – 5 points
    - Health centers and schools – reserved for lower income group - should be provided in the development as per Urban Development Plans Formulation and Implementation (UDPFI) guidelines (not applicable in SEZ) – 10 points
    - Planning to also consider adequate provision for informal market – 10 points
- Non-applicability: If the project is an SEZ or an educational campus, then the clause is not applicable to the project.**
- Food production on site – 20 points
    - Plan food production on at least 5% of the total landscape area or equivalent (vertical farming etc.) - 10 points
    - Plan food production on at least 10% of the total landscape area or equivalent (vertical farming etc.) - 20 points





A GRIHA Council -TERI initiative

GRIHA Council,  
A-260, Bhisham Pitamah Marg,  
Defence Colony,  
New Delhi - 110024

011-46444500/24339606

[Info@grihaindia.org](mailto:Info@grihaindia.org)

[grihaindia.org](http://grihaindia.org)